


# Biological Physics

Energy, Information, Life

Philip Nelson

University of Pennsylvania

with the assistance of Marko Radosavljevic and Sarina Bromberg



Appearing July 2003 from W. H. Freeman Co.

Contents at:

<http://www.physics.upenn.edu/~biophys/frontmatter.pdf>

This material is based upon work supported by the National Science Foundation under Grant No. 0086511.

# Contents

<b>To the student</b>	<b>vii</b>
<b>To the instructor</b>	<b>xi</b>
<b>Part I: Mysteries, Metaphors, Models</b>	<b>1</b>
<b>1 What the ancients knew</b>	<b>2</b>
1.1 Heat	2
1.1.1 Heat is a form of energy	3
1.1.2 Just a little history	4
1.1.3 Preview: The concept of free energy	6
1.2 How life generates order	8
1.2.1 The puzzle of biological order	8
1.2.2 Osmotic flow as a paradigm for free energy transduction	10
1.2.3 Preview: Disorder as information	12
1.3 Excursion: Commercials, philosophy, pragmatics	13
1.4 How to do better on exams (and discover new physical laws)	16
1.4.1 Most physical quantities carry dimensions	16
1.4.2 Dimensional analysis can help you catch errors and recall definitions	17
1.4.3 Dimensional analysis can also help you formulate hypotheses	19
1.4.4 Some notational conventions involving flux and density	19
1.5 Other key ideas from physics and chemistry	20
1.5.1 Molecules are small	20
1.5.2 Molecules are particular spatial arrangements of atoms	21
1.5.3 Molecules have well-defined internal energies	22
1.5.4 Low-density gases obey a universal law	23
The big picture	24
Track 2	27
Problems	28
<b>2 What's inside cells</b>	<b>31</b>
2.1 Cell physiology	33
2.1.1 Internal gross anatomy	35
2.1.2 External gross anatomy	38
2.2 The molecular parts list	40
2.2.1 Small molecules	40
2.2.2 Medium-sized molecules	42
2.2.3 Big molecules	44
2.2.4 Macromolecular assemblies	51
2.3 Bridging the gap: Molecular devices	52
2.3.1 The plasma membrane	52
2.3.2 Molecular motors	54
2.3.3 Enzymes and regulatory proteins	54
2.3.4 The overall flow of information in cells	55
The big picture	56
Track 2	59

Problems . . . . .	60
<b>Part II: Diffusion, Dissipation, Drive</b>	<b>62</b>
<b>3 The molecular dance</b>	<b>63</b>
3.1 The probabilistic facts of life . . . . .	63
3.1.1 Discrete distributions . . . . .	65
3.1.2 Continuous distributions . . . . .	65
3.1.3 Mean and variance . . . . .	67
3.1.4 Addition and multiplication rules . . . . .	68
3.2 Decoding the ideal gas law . . . . .	71
3.2.1 Temperature reflects the average kinetic energy of thermal motion . . . . .	71
3.2.2 The complete distribution of molecular velocities is experimentally measurable . . . . .	74
3.2.3 The Boltzmann distribution . . . . .	75
3.2.4 Activation barriers control reaction rates . . . . .	77
3.2.5 Relaxation to equilibrium . . . . .	79
3.3 Excursion: A lesson from heredity . . . . .	80
3.3.1 Aristotle weighs in . . . . .	80
3.3.2 Identifying the physical carrier of genetic information . . . . .	81
3.3.3 Schrödinger's summary: Genetic information is structural . . . . .	87
The big picture . . . . .	91
Track 2 . . . . .	93
Problems . . . . .	94
<b>4 Random walks, friction, and diffusion</b>	<b>96</b>
4.1 Brownian motion . . . . .	97
4.1.1 Just a little more history . . . . .	97
4.1.2 Random walks lead to diffusive behavior . . . . .	98
4.1.3 The diffusion law is model independent . . . . .	104
4.1.4 Friction is quantitatively related to diffusion . . . . .	105
4.2 Excursion: Einstein's role . . . . .	107
4.3 Other random walks . . . . .	108
4.3.1 The conformation of polymers . . . . .	108
4.3.2 Vista: Random walks on Wall Street . . . . .	111
4.4 More about diffusion . . . . .	112
4.4.1 Diffusion rules the subcellular world . . . . .	112
4.4.2 Diffusion obeys a simple equation . . . . .	113
4.4.3 Precise statistical prediction of random processes . . . . .	116
4.5 Functions, derivatives, and snakes under the rug . . . . .	117
4.5.1 Functions describe the details of quantitative relationships . . . . .	117
4.5.2 A function of two variables can be visualized as a landscape . . . . .	118
4.6 Biological applications of diffusion . . . . .	119
4.6.1 The permeability of artificial membranes is diffusive . . . . .	119
4.6.2 Diffusion sets a fundamental limit on bacterial metabolism . . . . .	122
4.6.3 The Nernst relation sets the scale of membrane potentials . . . . .	123
4.6.4 The electrical resistance of a solution reflects frictional dissipation . . . . .	125
4.6.5 Diffusion from a point gives a spreading, Gaussian profile . . . . .	125
The big picture . . . . .	126
Track 2 . . . . .	129
Problems . . . . .	134
<b>5 Life in the slow lane: the low Reynolds-number world</b>	<b>138</b>
5.1 Friction in fluids . . . . .	138
5.1.1 Sufficiently small particles can remain in suspension indefinitely . . . . .	139
5.1.2 The rate of sedimentation depends on solvent viscosity . . . . .	140
5.1.3 It's hard to mix a viscous liquid . . . . .	141
5.2 Low Reynolds number . . . . .	143
5.2.1 A critical force demarcates the physical regime dominated by friction . . . . .	143

5.2.2	The Reynolds number quantifies the relative importance of friction and inertia . . .	145
5.2.3	The time-reversal properties of a dynamical law signal its dissipative character . . .	148
5.3	Biological applications . . . . .	150
5.3.1	Swimming and pumping . . . . .	150
5.3.2	To stir or not to stir? . . . . .	155
5.3.3	Foraging, attack, and escape . . . . .	155
5.3.4	Vascular networks . . . . .	156
5.3.5	Viscous drag at the DNA replication fork . . . . .	159
5.4	Excursion: The character of physical Laws . . . . .	160
	The big picture . . . . .	161
	Track 2 . . . . .	163
	Problems. . . . .	166
<b>6</b>	<b>Entropy, temperature, and free energy</b>	<b>170</b>
6.1	How to measure disorder . . . . .	171
6.2	Entropy . . . . .	173
6.2.1	The Statistical Postulate . . . . .	173
6.2.2	Entropy is a constant times the maximal value of disorder . . . . .	174
6.3	Temperature . . . . .	176
6.3.1	Heat flows to maximize disorder . . . . .	176
6.3.2	Temperature is a statistical property of a system in equilibrium . . . . .	177
6.4	The Second Law . . . . .	179
6.4.1	Entropy increases spontaneously when a constraint is removed . . . . .	179
6.4.2	Three remarks . . . . .	182
6.5	Open systems . . . . .	183
6.5.1	The free energy of a subsystem reflects the competition between entropy and energy	183
6.5.2	Entropic forces can be expressed as derivatives of the free energy . . . . .	185
6.5.3	Free energy transduction is most efficient when it proceeds in small, controlled steps	186
6.5.4	The biosphere as a thermal engine . . . . .	188
6.6	Microscopic systems . . . . .	189
6.6.1	The Boltzmann distribution follows from the Statistical Postulate . . . . .	190
6.6.2	Kinetic interpretation of the Boltzmann distribution . . . . .	191
6.6.3	The minimum free energy principle also applies to microscopic subsystems . . . . .	194
6.6.4	The free energy determines the populations of complex two-state systems . . . . .	195
6.7	Excursion: “RNA folding as a two-state system” by J. Liphardt, I. Tinoco, Jr., and C. Bustamante . . . . .	196
	The big picture . . . . .	199
	Track 2 . . . . .	202
	Problems. . . . .	207
<b>7</b>	<b>Entropic forces at work</b>	<b>212</b>
7.1	Microscopic view of entropic forces . . . . .	213
7.1.1	Fixed-volume approach . . . . .	213
7.1.2	Fixed-pressure approach . . . . .	214
7.2	Osmotic pressure . . . . .	215
7.2.1	Equilibrium osmotic pressure follows the ideal gas law . . . . .	215
7.2.2	Osmotic pressure creates a depletion force between large molecules . . . . .	217
7.3	Beyond equilibrium: osmotic flow . . . . .	220
7.3.1	Osmotic forces arise from the rectification of Brownian motion . . . . .	221
7.3.2	Osmotic flow is quantitatively related to forced permeation . . . . .	224
7.4	A repulsive interlude . . . . .	225
7.4.1	Electrostatic interactions are crucial for proper cell functioning . . . . .	225
7.4.2	The Gauss Law . . . . .	227
7.4.3	Charged surfaces are surrounded by neutralizing ion clouds . . . . .	228
7.4.4	The repulsion of like-charged surfaces arises from compression of their ion clouds . .	233
7.4.5	Oppositely charged surfaces attract by counterion release . . . . .	235
7.5	Special properties of water . . . . .	236
7.5.1	Liquid water contains a loose network of hydrogen bonds . . . . .	236
7.5.2	The hydrogen-bond network affects the solubility of small molecules in water . . . .	239

7.5.3	Water generates an entropic attraction between nonpolar objects . . . . .	242
	The big picture . . . . .	242
	Track 2 . . . . .	245
	Problems. . . . .	251
<b>8</b>	<b>Chemical forces and self-assembly</b>	<b>255</b>
8.1	Chemical potential . . . . .	255
8.1.1	$\mu$ measures the availability of a particle species . . . . .	256
8.1.2	The Boltzmann distribution has a simple generalization accounting for particle exchange	258
8.2	Chemical reactions . . . . .	259
8.2.1	Chemical equilibrium occurs when chemical forces balance . . . . .	259
8.2.2	$\Delta G$ gives a universal criterion for the direction of a chemical reaction . . . . .	261
8.2.3	Kinetic interpretation of complex equilibria . . . . .	265
8.2.4	The primordial soup was not in chemical equilibrium . . . . .	266
8.3	Dissociation . . . . .	267
8.3.1	Ionic and partially ionic bonds dissociate readily in water . . . . .	267
8.3.2	The strengths of acids and bases reflect their dissociation equilibrium constants . . . . .	268
8.3.3	The charge on a protein varies with its environment . . . . .	269
8.3.4	Electrophoresis can give a sensitive measure of protein composition . . . . .	271
8.4	Self-assembly of amphiphiles . . . . .	273
8.4.1	Emulsions form when amphiphilic molecules reduce the oil–water interface tension . . . . .	273
8.4.2	Micelles self-assemble suddenly at a critical concentration . . . . .	275
8.5	Excursion: On fitting models to data . . . . .	278
8.6	Self-assembly in cells . . . . .	279
8.6.1	Bilayers self-assemble from two-tailed amphiphiles . . . . .	279
8.6.2	Vista: Macromolecular folding and aggregation . . . . .	283
8.6.3	Another trip to the kitchen . . . . .	285
	The big picture . . . . .	287
	Track 2 . . . . .	290
	Problems. . . . .	292
	<b>Part III: Molecules, Machines, Mechanisms</b>	<b>294</b>
<b>9</b>	<b>Cooperative transitions in macromolecules</b>	<b>295</b>
9.1	Elasticity models of polymers . . . . .	296
9.1.1	Why physics works (when it does work) . . . . .	296
9.1.2	Four phenomenological parameters characterize the elasticity of a long, thin rod . . . . .	298
9.1.3	Polymers resist stretching with an entropic force . . . . .	300
9.2	Stretching single macromolecules . . . . .	303
9.2.1	The force–extension curve can be measured for single DNA molecules . . . . .	303
9.2.2	A simple two-state system qualitatively explains DNA stretching at low force . . . . .	305
9.3	Eigenvalues for the impatient . . . . .	307
9.3.1	Matrices and eigenvalues . . . . .	307
9.3.2	Matrix multiplication . . . . .	309
9.4	Cooperativity . . . . .	310
9.4.1	The transfer matrix technique allows a more accurate treatment of bend cooperativity	310
9.4.2	DNA also exhibits linear stretching elasticity at moderate applied force . . . . .	313
9.4.3	Cooperativity in higher-dimensional systems gives rise to infinitely sharp phase transitions . . . . .	314
9.5	Thermal, chemical, and mechanical switching . . . . .	314
9.5.1	The helix–coil transition can be observed by using polarized light . . . . .	315
9.5.2	Three phenomenological parameters describe a given helix–coil transition . . . . .	317
9.5.3	Calculation of the helix–coil transition . . . . .	319
9.5.4	DNA also displays a cooperative “melting” transition . . . . .	323
9.5.5	Applied mechanical force can induce cooperative structural transitions in macromolecules . . . . .	324
9.6	Allostery . . . . .	325
9.6.1	Hemoglobin binds four oxygen molecules cooperatively . . . . .	325

9.6.2	Allostery often involves relative motion of molecular subunits . . . . .	328
9.6.3	Vista: Protein substates . . . . .	329
	The big picture . . . . .	330
	Track 2 . . . . .	333
	Problems. . . . .	343
<b>10</b>	<b>Enzymes and molecular machines</b>	<b>348</b>
10.1	Survey of molecular devices found in cells . . . . .	349
10.1.1	Terminology . . . . .	349
10.1.2	Enzymes display saturation kinetics . . . . .	350
10.1.3	All eukaryotic cells contain cyclic motors . . . . .	351
10.1.4	One-shot motors assist in cell locomotion and spatial organization . . . . .	353
10.2	Purely mechanical machines . . . . .	355
10.2.1	Macroscopic machines can be described by an energy landscape . . . . .	356
10.2.2	Microscopic machines can step past energy barriers . . . . .	359
10.2.3	The Smoluchowski equation gives the rate of a microscopic machine . . . . .	361
10.3	Molecular implementation of mechanical principles . . . . .	367
10.3.1	Three ideas . . . . .	367
10.3.2	The reaction coordinate gives a useful reduced description of a chemical event . . . . .	368
10.3.3	An enzyme catalyzes a reaction by binding to the transition state . . . . .	370
10.3.4	Mechanochemical motors move by random-walking on a two-dimensional landscape . . . . .	374
10.4	Kinetics of real enzymes and machines . . . . .	375
10.4.1	The Michaelis–Menten rule describes the kinetics of simple enzymes . . . . .	376
10.4.2	Modulation of enzyme activity . . . . .	379
10.4.3	Two-headed kinesin as a tightly coupled, perfect ratchet . . . . .	379
10.4.4	Molecular motors can move even without tight coupling or a power stroke . . . . .	387
10.5	Vista: Other molecular motors . . . . .	392
	The big picture . . . . .	392
	Track 2 . . . . .	395
	Problems. . . . .	402
<b>11</b>	<b>Machines in membranes</b>	<b>406</b>
11.1	Electroosmotic effects . . . . .	406
11.1.1	Before the ancients . . . . .	406
11.1.2	Ion concentration differences create Nernst potentials . . . . .	407
11.1.3	Donnan equilibrium can create a resting membrane potential . . . . .	410
11.2	Ion pumping . . . . .	412
11.2.1	Observed eukaryotic membrane potentials imply that these cells are far from Donnan equilibrium . . . . .	412
11.2.2	The Ohmic conductance hypothesis . . . . .	415
11.2.3	Active pumping maintains steady-state membrane potentials while avoiding large osmotic pressures . . . . .	417
11.3	Mitochondria as factories . . . . .	421
11.3.1	Busbars and driveshafts distribute energy in factories . . . . .	421
11.3.2	The biochemical backdrop to respiration . . . . .	422
11.3.3	The chemiosmotic mechanism identifies the mitochondrial inner membrane as a busbar . . . . .	425
11.3.4	Evidence for the chemiosmotic mechanism . . . . .	427
11.3.5	Vista: Cells use chemiosmotic coupling in many other contexts . . . . .	429
11.4	Excursion: “Powering up the flagellar motor” by H. C. Berg and D. Fung . . . . .	431
	The big picture . . . . .	432
	Track 2 . . . . .	434
	Problems. . . . .	435

<b>12 Nerve impulses</b>	<b>437</b>
12.1 The problem of nerve impulses . . . . .	438
12.1.1 Phenomenology of the action potential . . . . .	438
12.1.2 The cell membrane can be viewed as an electrical network . . . . .	441
12.1.3 Membranes with Ohmic conductance lead to a linear cable equation with no traveling wave solutions . . . . .	445
12.2 Simplified mechanism of the action potential . . . . .	449
12.2.1 The puzzle . . . . .	449
12.2.2 A mechanical analogy . . . . .	449
12.2.3 Just a little more history . . . . .	451
12.2.4 The time course of an action potential suggests the hypothesis of voltage gating . . . . .	454
12.2.5 Voltage gating leads to a nonlinear cable equation with traveling wave solutions . . . . .	457
12.3 The full Hodgkin–Huxley mechanism and its molecular underpinnings . . . . .	461
12.3.1 Each ion conductance follows a characteristic time course when the membrane potential changes . . . . .	461
12.3.2 The patch clamp technique allows the study of single ion channel behavior . . . . .	464
12.4 Nerve, muscle, synapse . . . . .	472
12.4.1 Nerve cells are separated by narrow synapses . . . . .	472
12.4.2 The neuromuscular junction . . . . .	472
12.4.3 Vista: Neural computation . . . . .	474
The big picture . . . . .	475
Track 2 . . . . .	478
Problems. . . . .	479
<b>13 Epilogue</b>	<b>482</b>
<b>Acknowledgments</b>	<b>484</b>
<b>A Global list of symbols and units</b>	<b>487</b>
<b>B Numerical values</b>	<b>494</b>
<b>Credits</b>	<b>499</b>
<b>Bibliography</b>	<b>505</b>
<b>Index</b>	<b>518</b>